

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2983871	@ay<"2000"	US-PGPUB; USPAT	OR	ON	2004/08/19 16:45
S2	13795	@ay<"2000" and "709".clas.	US-PGPUB; USPAT	OR	ON	2004/08/19 16:45
S3	1142	@ay<"2000" and "709".clas. and (asynchronous with network)	US-PGPUB; USPAT	OR	ON	2004/08/19 16:45
S4	4	@ay<"2000" and "709".clas. and (asynchronous with network) and ((data with (packet or package)) with (segment or section or layer or blocks or header) with (add and remove))	US-PGPUB; USPAT	OR	ON	2004/08/19 18:11
S5	0	@ay<"2000" and 709/201,202,203. ccls. and (asynchronous with network) and ((data with (packet or package)) with (segment or section or layer or blocks or header) with (add and remove))	US-PGPUB; USPAT	OR	ON	2004/08/19 18:11
S6	2	@ay<"2000" and 709/201,202,203. ccls. and ((data with (packet or package)) with (segment or section or layer or blocks or header) with (add and remove))	US-PGPUB; USPAT	OR	ON	2004/08/19 21:00
S7	7	@ay<"2000" and 709/201,202,203. ccls. and ((data with (packet or package)) with (segment or section or layer or blocks or header) with ((add\$4 or insert\$4 or append\$4 or affix\$4 or attach\$4 or "put in") and (remov\$4 or "take out"))))	US-PGPUB; USPAT	OR	ON	2004/08/19 21:05
S8	7	@ay<"2000" and 709/201,202,203. ccls. and ((data with (packet or package)) with (segment or section or layer or blocks or header) with (add\$4 or insert\$4 or append\$4 or affix\$4 or attach\$4 or "put in")) and ((data with (packet or package)) with (segment or section or layer or blocks or header) with (remov\$4 or "take out"))	US-PGPUB; USPAT	OR	ON	2004/08/19 21:06
S9	1	"6226680".pn.	US-PGPUB; USPAT	OR	ON	2005/03/10 15:51
S10	1	"5493692".pn.	US-PGPUB; USPAT	OR	ON	2005/02/24 09:22
S11	18	"60061809"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:51

## EAST Search History

S12	18	"60061809".rlan.	US-PGPUB; USPAT	OR	ON	2005/03/10 16:58
S13	35	@ay<"2000" and (encapsulat\$7 or tunnel\$7).ti. and "709".clas. not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 17:00
S14	490	@ay<"2000" and "709".clas. and (router with (data with (package or packet))) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:40
S15	10	@ay<"2000" and "709".clas. and (router with (data with (package or packet)) with ("distributed")) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:42
S16	113	@ay<"2000" and "709".clas. and (router with (data with (package or packet)) with (append\$7 or add\$4 or attach\$4)) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:43
S17	11	@ay<"2000" and "709".clas. and (router with (data with (package or packet)) with (append\$7 or attach\$4)) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:44
S18	7	@ay<"2000" and "709".clas. and (router with (data adj2 (package or packet)) with (append\$7 or attach\$4)) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 20:38
S19	4	@ay<"2000" and "709".clas. and ((data adj2 (package or packet)) with (append\$7 or attach\$4) with (encrypt\$9 or secur\$4)) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 20:40
S20	1	"5862344".pn.	US-PGPUB; USPAT	OR	ON	2005/12/19 14:10
S21	1179	@ay<"2000" and (request adj object)	US-PGPUB; USPAT	OR	ON	2006/04/28 15:27
S22	81	@ay<"2000" and (collaborative with (request or packet or object)) and (distributed with network)	US-PGPUB; USPAT	OR	ON	2006/04/28 15:28
S23	64	@ay<"2000" and (collaborative with (request or packet or object)) and (distributed with network) and (layer\$3 or envelop\$3 or encapsulat\$3 or append\$4)	US-PGPUB; USPAT	OR	ON	2006/04/28 15:29
S24	28	@ay<"2000" and (collaborative with (request or packet or object)) and (distributed with network) and ((layer\$3 or envelop\$3 or encapsulat\$3 or append\$4) with (request or packet or object))	US-PGPUB; USPAT	OR	ON	2006/04/28 16:04

## EAST Search History

S25	1	"6233601".pn.	US-PGPUB; USPAT	OR	ON	2006/04/29 13:13
S26	86	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message))	US-PGPUB; USPAT	OR	ON	2006/04/29 13:14
S27	84	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message)) and (append\$3 or add\$3)	US-PGPUB; USPAT	OR	ON	2006/04/29 13:15
S28	7	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message)) and ((append\$3 or add\$3) with layer)	US-PGPUB; USPAT	OR	ON	2006/04/29 13:16
S29	31	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message)) and (client with (inquiry or query or request))	US-PGPUB; USPAT	OR	ON	2006/04/29 13:36
S30	21	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message)) and (client with (inquiry or query or request)) and ((return\$3 or back) with client)	US-PGPUB; USPAT	OR	ON	2006/04/29 15:09
S31	10	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message)) and ((return\$3 or back) with client) and ((second or another) with server)	US-PGPUB; USPAT	OR	ON	2006/04/29 15:13
S32	518	@ay<"2000" and ((token adj ring) with network) and ((return\$3 or back) with client)	US-PGPUB; USPAT	OR	ON	2006/04/29 15:14
S33	152	@ay<"2000" and ((token adj ring) with network) and ((return\$3 or back) with client) and (client with device with (data or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 15:14
S34	152	@ay<"2000" and ((token adj ring) with network) and ((return\$3 or back) with client) and (client with device with (data or information or identification))	US-PGPUB; USPAT	OR	ON	2006/04/29 15:15
S35	18	@ay<"2000" and ((token adj ring) with network) and ((return\$3 or back) with client) and ((client with device with (data or information or identification)) with (layer or packet))	US-PGPUB; USPAT	OR	ON	2006/04/29 16:58

## EAST Search History

S36	32	@ay<"2000" and (client with (inquiry or request or query)) and (first with server with layer) and (second with server with layer) and ((append\$3 or add\$3 or wrap\$4) with layer)	US-PGPUB; USPAT	OR	ON	2006/04/29 17:00
S37	23	@ay<"2000" and (client with (inquiry or request or query)) and (first with server with layer) and (second with server with layer) and ((append\$3 or add\$3 or wrap\$4) with layer) and (client with (id or identification or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 17:03
S38	2	@ay<"2000" and (client with (inquiry or request or query)) and (first with server with layer with packet) and (second with server with layer with packet) and ((append\$3 or add\$3 or wrap\$4) with layer) and (client with (id or identification or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 17:10
S39	5	@ay<"2000" and (client with (inquiry or request or query)) and (first with server with layer with (packet or object)) and (second with server with layer with (packet or object)) and ((append\$3 or add\$3 or wrap\$4) with (packet or object)) and (client with (id or identification or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:06
S40	352	@ay<"2000" and (client with (request or inquiry or query)) and (first with server) and (second with server) and ((add\$4 or append\$4 or attach\$4) with rout\$4 with (data or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:09
S41	239	@ay<"2000" and (client with (request or inquiry or query)) and (first with server) and (second with server) and ((add\$4 or append\$4 or attach\$4) with rout\$4 with (data or information)) and ((add\$4 or append\$4 or attach\$4 or includ\$4) with (response))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:10

## EAST Search History

S42	53	@ay<"2000" and (client with (request or inquiry or query)) and (process\$4 with first with server) and (process\$4 with second with server) and ((add\$4 or append\$4 or attach\$4) with rout\$4 with (data or information)) and ((add\$4 or append\$4 or attach\$4 or includ\$4) with (response))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:13
S43	0	@ay<"2000" and (client with (request or inquiry or query)) and (partial\$5 with process\$4 with first with server) and (partial\$5 with process\$4 with second with server) and ((add\$4 or append\$4 or attach\$4) with rout\$4 with (data or information)) and ((add\$4 or append\$4 or attach\$4 or includ\$4) with (response))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:11
S44	19	@ay<"2000" and (client with (request or inquiry or query)) and (process\$4 with first with server) and (process\$4 with second with server) and ((add\$4 or append\$4 or attach\$4) with rout\$4 with (data or information)) and ((add\$4 or append\$4 or attach\$4 or includ\$4) with (response)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/04/29 21:21
S45	4	@ay<"2000" and (client with (request or inquiry or query)) and (process\$3 with first with server) and (process\$3 with second with server) and ((add\$3 or append\$3 or attach\$3) with rout\$3 with (data or information)) and ((add\$3 or append\$3 or attach\$3 or includ\$3) with (response)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/04/29 21:36
S46	11	@ay<"2000" and (client with (request or inquiry or query)) and (server with (append\$4 or attach\$3 or add\$3) with routing with (data or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:43
S47	1	"5862344".pn.	US-PGPUB; USPAT	OR	ON	2006/04/30 15:27
S48	4	@ay<"2000" and (client with (request or inquiry or query)) and (server with (append\$4 or attach\$3 or add\$3) with routing with (data or information)) and (first with second with server)	US-PGPUB; USPAT	OR	ON	2006/04/29 21:48

## EAST Search History

S49	13	@ay<"2000" and (server with (append\$4 or attach\$3 or add\$3) with routing with (data or information)) and (first with second with server)	US-PGPUB; USPAT	OR	ON	2006/04/29 21:48
S50	948	@ay<"2000" and (rout\$3 with (packet or object) with server) and client	US-PGPUB; USPAT	OR	ON	2006/04/30 15:28
S51	114	@ay<"2000" and (rout\$3 with (packet or object) with server) and client and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing)	US-PGPUB; USPAT	OR	ON	2006/04/30 15:29
S52	38	@ay<"2000" and (rout\$3 with (packet or object) with server) and client and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object))	US-PGPUB; USPAT	OR	ON	2006/04/30 15:39
S53	10	@ay<"2000" and (rout\$3 with (packet or object) with server) and client and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object)) and ((append\$3 or add\$3 or wrap\$4 or insert\$4 or combin\$3) with (packet or object or request or query or inquiry) with (result or response))	US-PGPUB; USPAT	OR	ON	2006/04/30 16:26
S54	2	@ay<"2000" and (rout\$3 with (packet or object) with first with server) and (rout\$3 with (packet or object) with (second or another) with server) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object))	US-PGPUB; USPAT	OR	ON	2006/04/30 16:29
S55	3	@ay<"2000" and (rout\$3 with (packet or object) with (main or host or proxy or first) with server) and (rout\$3 with (packet or object) with (second or another) with server) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object))	US-PGPUB; USPAT	OR	ON	2006/04/30 16:32
S56	41	@ay<"2000" and (rout\$3 with (packet or object) with (main or host or proxy or first) with (node or server)) and (rout\$3 with (packet or object) with (second or another) with (node or server)) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object))	US-PGPUB; USPAT	OR	ON	2006/04/30 17:03

## EAST Search History

S57	6	@ay<"2000" and (rout\$3 with (packet or object) with (main or host or proxy or first) with (node or server)) and (rout\$3 with (packet or object) with (second or another) with (node or server)) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object)) and ((append\$3 or add\$3 or wrap\$4 or insert\$4 or combin\$3) with (packet or object or request or query or inquiry) with (result or response))	US-PGPUB; USPAT	OR	ON	2006/04/30 16:39
S58	8	@ay<"2000" and (rout\$3 with (packet or object) with (main or host or proxy or first) with (node or server)) and (rout\$3 with (packet or object) with (second or another) with (node or server)) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/04/30 18:06
S59	368	@ay<"2000" and ((first or proxy or gateway) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with routing)	US-PGPUB; USPAT	OR	ON	2006/04/30 18:12
S60	40	@ay<"2000" and ((first or proxy or gateway) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with routing) and ((second or host or server) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with (response or result))	US-PGPUB; USPAT	OR	ON	2006/04/30 18:14
S61	8	@ay<"2000" and ((first or proxy or gateway) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with routing) and ((second or host or server) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with (response or result)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/04/30 18:18
S62	28	@ay<"2000" and ((first or proxy or gateway) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with routing) and ((second or host or server) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with (response or result)) and network	US-PGPUB; USPAT	OR	ON	2006/04/30 18:34

## EAST Search History

S63	18	@ay<"2000" and (proxy or gateway) and cookie and ((append\$3 or add\$3 or wrap\$4) with routing) and ((append\$3 or add\$3 or wrap\$4) with (result or response))	US-PGPUB; USPAT	OR	ON	2006/04/30 18:36
S64	4	@ay<"2000" and ((proxy or gateway) with (append\$3 or add\$3 or wrap\$4) with routing) and ((append\$3 or add\$3 or wrap\$4) with (result or response)) and cookie	US-PGPUB; USPAT	OR	ON	2006/04/30 18:37